



WATER PROOF

VOL-3

Elevation Collection
300X450MM

**All Designs Are Available
In Glossy & Matt Finish**

The Favour Of Artistry

About Us

Driven through trust, innovation and technology, Liona is one of the leading manufacturers and exporters of ceramic products and tiles. With the state-of-art infrastructure facility, we lead with an intelligent approach to creative design and high-end technology, offering various international standard quality products. Working along with a wall tiles of products, Liona is the one-stop solution to redesigning and planning homes and workspaces. At Liona, we believe in Keeping up with the new trends of art and infrastructure. Therefore we have introduced a new range of wall tiles boasting of ethnicity and inspired by nature. With an Intelligent Mix of Design and Technology, the wall tiles Collection instils colours and Textures from nature. Discover innovative ways to beautify your spaces. This range is all set to infuse life to your walls due to its unique pattern, thickness and finishes.



The ceramic era inspired the idea of the Elevation collection, which combines visual complexity the quality of the "aged" ornamental and the linear severity of the geometric de-cows.

An exceedingly Natural look

As accents, the idea is to break the monotony of the solid colored walls with upholstery, furniture and decoration indigenous to this area.



we define *Luxury*



TECHNICAL FEATURE



Easy to Install



Frost Proff



Easy to Clean



Water Proof



Chemical Resistance



Stain Resistance



7203




7204



7205



7206





7207



7208



7209



7210



7211



7214

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to
Install



Frost
Proff



Easy to
Clean



Water Proof



Chemical
Resistance




Stain
Resistance



7216



7217



7220



7221



7223



7224

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to
Install



Frost
Proff



Easy to
Clean



Water Proof



Chemical
Resistance



Stain
Resistance




7225




7226




7227



7229



7230



7231

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to Install



Frost Proff



Easy to Clean




Water Proof




Chemical Resistance




Stain Resistance




7232



7233



7234



7235



7236



7237

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to
Install



Frost
Proff



Easy to
Clean



Water Proof




Chemical
Resistance




Stain
Resistance




7238




7239



7240



7241



7242

(R)



7243

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to
Install



Frost
Proff



Easy to
Clean



Water Proof



Chemical
Resistance



Stain
Resistance



7244

(R)



7245


(R)



7247



7248



7249



7250

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to
Install



Frost
Proff



Easy to
Clean



Water Proof



Chemical
Resistance



Stain
Resistance



7251

(R)



7253

(R)



7254



7255

(R)



7256



7257

300X450MM

ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to Install



Frost Proff



Easy to Clean



Water Proof



Chemical Resistance




Stain Resistance



7258

(R)



7259

(R)



7260



7261

(R)



7262



7264

(R)

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to Install



Frost Proff



Easy to Clean



Water Proof



Chemical Resistance



Stain Resistance



7265



7266



7267



7268



7269



7270

(R)

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to Install



Frost Proff



Easy to Clean



Water Proof



Chemical Resistance



Stain Resistance



7271



7272



7274


(R)



7275



7276



7277

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to Install



Frost Proff



Easy to Clean



Water Proof



Chemical Resistance



Stain Resistance



7278



7279



7280

(R)



7282

(R)



7283



7284

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to
Install



Frost
Proff



Easy to
Clean




Water Proof



Chemical
Resistance



Stain
Resistance



7286



7287



7288




7289

(R)



7290



7291

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to
Install



Frost
Proff



Easy to
Clean



Water Proof




Chemical
Resistance




Stain
Resistance



7292



7293




7294



7295



7296



7297

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to Install



Frost Proff



Easy to Clean



Water Proof




Chemical Resistance




Stain Resistance




7298



7299



7300



7301



7303

(R)



7304

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to Install



Frost Proff



Easy to Clean




Water Proof




Chemical Resistance



Stain Resistance



7305




7306



7307



7308



7309



7310

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to Install



Frost Proff



Easy to Clean




Water Proof



Chemical Resistance



Stain Resistance



7311




7312



7313



7314



7315



7316

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to Install



Frost Proff



Easy to Clean



Water Proof




Chemical Resistance



Stain Resistance



7317




7318



7319



7320



7321



7322

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to Install



Frost Proff



Easy to Clean




Water Proof




Chemical Resistance




Stain Resistance



7323



7324



7325



7330

300X450MM
ELEVATION GLOSSY-MATT SURFACE

TECHNICAL FEATURE



Easy to
Install



Frost
Proff



Easy to
Clean



Water Proof



Chemical
Resistance



Stain
Resistance

Technical Specification

CHARACTERISTIC	IS-15622:2017 (Group B III) TABLE-9	MEAN VALUE	TEST METHOD
Dimension & Surface Quality			
Deviation in length and width	± 0.20 %	± 0.10 %	IS 13630 (Part 1):2006
Deviation in thickness	± 5.00 %	± 4.00 %	IS 13630 (Part 1):2006
Straightness in side	± 0.15 %	± 0.10 %	IS 13630 (Part 1):2006
Rectangularity	± 0.20 %	± 0.15 %	IS 13630 (Part 1):2006
Surface flatness	± 0.30 %	± 0.20 %	IS 13630 (Part 1):2006
Surface quality	Min. 95%	Min. 95%	IS 13630 (Part 1):2006
Physical & Thermal Properties			
Water Absorption %	E ≥ 10%	16±2% (Max. 18%)	IS 13630 (Part 2):2006
MOR in N/mm ²	Avg.12 for thickness < 7.5mm, Avg.15 for thickness ≥ 7.5mm	Conforms	IS 13630 (Part 6):2006
Bending Strength in N	200 for ≤ 7.5mm thickness, 600 for > 7.5mm thickness	Conforms	IS 13630 (Part 6):2006
Scratching Resistance	Min. 3	Conforms	IS 13630 (Part 13):2006
Moisture Expansion in mm/m	0.04 %	Conforms	IS 13630 (Part 3):2006
Thermal Shock	Min. 10 Cycles	Passed 10 Cycle	IS 13630 (Part 5):2006
Co-efficient of Liner Thermal Expansion	Max. 9.0 x 10 ⁻⁶ K ⁻¹	Conforms	IS 13630 (Part 4):2006
Crazing Resistance	4 Cycle @ 7.5 Bar Min.	4 Cycle Passed	IS 13630 (Part 9):2006
Chemical Properties			
Resistance to Staining	Class 1 Min.	Conforms	IS 13630 (Part 8):2006
Resistance to House hold Chemicals	Class AA Min.	Conforms	IS 13630 (Part 8):2006

NOTE: All Technical Specification in this catalogue are for Premium Grade Material only.

Packing Details

SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT / BOX
300x450mm	7.8mm	06 pcs	0.81 sq. mtr. 8.718 sq. ft.	10.600 kg (approx)
300x300mm	7.5mm	08 pcs	0.72 sq. mtr. 7.750 sq. ft.	09.200 kg (approx)



Liona Tiles LLP

Opp. Lafans Granito Pvt. Ltd. Near Rangpar Village
Pipli Jetpar Road, Morbi-363642, Gujarat (IN)

Domestic Inquiry :
sales@lionatiles.com | +91 99786 99762 | +91 99786 99763

Export Inquiry :
export@lionatiles.com | +919978644488